



2021 Product Catalog

www.specialtyarch.com

2021 New Products

PXS Target Peep Shade Cap

#PXSPS
See Page 2



PXS Target Peep

#PXS BLK
See Page 2



PXS Target Peep Capture Aperture

#PXSA_
See Page 3



PXS Target Peep Verifiers and Clarifiers

#PXS SV_ See Page 5 #PXSC_




Versa² and Versa³ Scope Rheostat Fiber Rings

See Page 16



Versa² Target Scope

#V2TG
See Page 15
**Patent Pending*



Versa² and Versa³ Scope Shades

See Page 15



Half Shade

Full Shade

Versa² and Versa³ Glow Pin & Fiber

See Page 16



007 UV Light Cable

#007-UV
See Page 17



Versa³ 3D Scope

#V33D
See Page 15
**Patent Pending*



Versa² and Versa³ 007 Glow Rings

See Page 16



Versa² and Versa³ 007 UV Half Shade

See Page 16



Versa² and Versa³ Scope Blockers

See Page 15



**Patent Pending*

PXS Target Peep

PXL Hunter Peep

AVAILABLE COLORS



**Threaded To Accept
PXS Target Peep Capture
Apertures & PXS Target Peep
Shade Cap**

**MACHINED
ALUMINUM PART**

**Dual String Angles
37° & 45°**

**Deep Perimeter Groove For Easy
Securing Of Peep Into String**

US Patents #D869591,
#10,161,719 &
#10,852,096



**Threaded To Accept
PXL Hunter Peep Capture
Apertures & PXL Hunter Peep
Shade Cap**

Black
#PXLH BLK

**PXL Hunter Peep
Shade Cap
#PXLHPS**

**PXS Target Peep
Shade Cap
#PXSPS**



- Screws into target side of PXS Target Peeps to reduce glare.

**PXS Target Or PXL
Hunter Peep**

**PXS Target Or PXL Hunter
Peep Shade Cap**



**PXS Target Or PXL
Hunter Capture
Aperture**

**PXS Target Or
PXL Hunter Lens**



- Screws into target side of PXL Hunter Peep to reduce glare.

- The PXS Target & PXL Hunter Peep are the most advanced peeps in the archery industry!
- The PXS Target & PXL Hunter Peep have many similarities to the Podium Peep™.
- **CST - Center String Technology** - Aperture located on center of bowstring – prevents L and R misses.
- **PLT – Protected Lens Technology** – Clarifiers and Verifiers protected by non-metal fixturing on 2 sides prevents damage to lenses.
- **DSAT - Dual String Angle technology** – has both 37 and 45-degree string angles on the same peep housing.
- NEW “Capture Aperture” technology uses **LRT - Lens Retention Technology** to prevent dropping of Verifier or Clarifier lenses!
- Clarifier or Verifier lens snaps gently into place in the Capture Aperture, but can still be removed for easy cleaning!
- PXL Hunter Peep weight: 30.5 grains. PXS Target Peep weight: 18.0 grains.



Size Comparison




PXL Hunter Peep PXS Target Peep Podium Peep™

***Peeps are shown actual size**

PXS Target & PXL Hunter Capture Apertures



- TAP – Tool-less Aperture Technology - Knurled Tool-less Aperture eliminates the need for an Aperture Wrench.
- “Capture Aperture” technology uses LRT - Lens Retention Technology to prevent dropping of Verifier or Clarifier lenses!
- Clarifier or Verifier lens snaps gently into place in the Capture Aperture, but can still be removed for easy cleaning!
- Capture Apertures can be used with or without a Clarifier or Verifier lens installed.



Non-Glare Material
When Used With A Lens, The Non-Metal Surfaces Protect The Lens From Chips Or Cracking

US Patents #D869591,
#10,161,719 &
#10,852,096



PXS Target Aperture Hole Sizes Of:

1/8" #PSXA125 3/32" #PSXA094 1/16" #PSXA063 3/64" #PSXA047 1/32" #PSXA031



PXL Hunter Peep Aperture Hole Sizes Of:

1/4" #PXLHA250 3/16" #PXLHA187 5/32" #PXLHA156

PXS Target Capture Aperture Kit

#PXSAPT

- “Capture Aperture” technology uses LRT - Lens Retention Technology to prevent dropping of Verifier or Clarifier lenses!
- PXS Target Peep Capture Apertures fit PXS Target Peeps only.
- Includes all 5 PXS Target Peep Capture Apertures: 1/8", 3/32", 1/16", 3/64" & 1/32".



PXS Target Storage Case

#PXSCS

- Storage Case for PXS Target Peep and PXS Target Peep Capture Apertures & accessories.
- PXS Target Peep & PXS Target Peep accessories not included.



PXL Hunter Capture Aperture Kit

#PXLHAPT

- “Capture Aperture” technology uses LRT - Lens Retention Technology to prevent dropping of Verifier or Clarifier lenses!
- PXL Hunter Peep Capture Apertures fit PXL Hunter Peeps only.
- Includes all 3 PXL Hunter Capture Apertures: 1/4", 3/16" and 5/32".




PXL Hunter Storage Case

#PXLHCS

- Storage Case for PXL Hunter Peep and PXL Hunter Peep Capture Apertures & accessories.
- PXL Hunter Peep & PXL Hunter accessories not included.



AVAILABLE COLORS



US Patent #D869591

- Podium Peep™ system totally designed for ultimate accuracy.
- Different size Apertures interchange without removing the peep from the string, and without the need for an Aperture Wrench.
- Also works with optional Podium Peep™ Clarifiers & Podium Peep™ Verifiers.
- Colors available: Black, Blue, Green, (Pink while supplies last), Purple, Red & Silver.



Podium Peep™


MACHINED ALUMINUM PART

Threaded To Accept Podium Peep™ Apertures & Peep Shade Cap

Dual String Angles 37° & 45°

Deep Perimeter Groove For Easy Securing Of Peep Into String

**See String Angle Chart on page 8 for string groove reference.*



Podium Peep™ Shade Cap #PPPS

- Provides additional shade for the target side of the Podium Peep™.
- Tool-Less Technology, no need for a wrench.



- Fits into Specialty Archery Podium Peep™ only.
- Tool-Less Aperture Technology eliminates the need for an Aperture Wrench.
- Made from anti-glare non-metal material.
- 6 Aperture sizes available.
- *Podium Peep™ Lenses must be retained into the Podium Peep™ with the use of a Podium Peep™ Aperture.




Podium Peep™ Apertures

US Patent #D869591

Aperture Hole Sizes Of:

● ● ● ● ● ●
#PPA156 PPA125 PPA094 PPA063 PPA047 #PPA031



CST
CENTER STRING TECHNOLOGY

Podium Peep™ Aperture hole is located on center of bowstring
No left & right misses


Non-Glare Material
When Used With A Lens, The Non-Metal Surfaces Protect The Lens From Chips Or Cracking



TAP
TOOL-LESS APERTURE TECHNOLOGY



Knurled Tool-Less Aperture Eliminates the need for an Aperture Wrench



Podium Peep™ Storage Case
#PPCS



- Storage Case for Podium Peep™ and Podium Peep™ accessories.
- Podium Peep™ and Podium Peep™ accessories not included.

Podium® is a registered trademark of Podium Plus Competition Bowstrings® LLC.






Podium Peep™ Aperture Kit
#PPAKT



- Fits into Specialty Archery Podium Peep™ only.
- Includes all Podium Peep™ Aperture sizes.
- Podium Peep™ not included.



Clarifier & Verifier Lenses



Clarifier Lenses

Designed To Make The Target Crystal Clear



- 5 different power Clarifiers available.
- Helps make your target crystal clear when using a scope & lens.
- Allows the shooter to pick out target details at a distance.
- The stronger the lens, the more powerful the Clarifier needed. (See chart below for suggestions.)



Power Clarifier	#5 Gold	#1 Yellow	#1.5 Ice Blue	#2 Green	#3 Red
PXS Target Peep Part #	#PKSC0.5	#PKSC1.0	#PKSC1.5	#PKSC2.0	#PKSC3.0
PXL Hunter Peep Part #	#PKLHC0.5	#PKLHC1.0	#PKLHC1.5	#PKLHC2.0	#PKLHC3.0
Podium Peep™ Part #	#PPC0.5	#PPC1.0	#PPC1.5	#PPC2.0	#PPC3.0
Lens Power	2x-4x	2x-6x	3x-8x	4x-8x	6x-8x

Verifier Lenses

Designed To Clear Up Your Pins... Old Eyes Made New Again!

- Brings archery back to life for archers who can no longer see their sight pins clearly.
- Verifiers sharpen the sight picture so the pins are easy to see.
- 6 different powers available. #4 (Silver) lens is the weakest & the #9 (Orange) is the strongest.



*PXL Hunter Verifier Kits also available - See Page 6 for more information

Podium Peep™ Deluxe Kit #PPDLXKT

- Includes all 6 Podium Peep™ Apertures & all 5 Podium Peep™ Clarifier Lenses.
- Podium Peep™ and Peep Shade Cap not included.



Podium Peep™ Clarifier Kit #PPCKT

- Includes all 5 Podium Peep™ Clarifiers in the Podium Peep™ Storage Case.



PXS Target Peep Deluxe Kit #PXSDLXKT

- Includes all 5 PXS Target Peep Capture Apertures & all 5 PXS Target Clarifier Lenses.
- PXS Target Peep and Peep Shade Cap not included.



PXS Target Peep Clarifier Kit #PSXCKT

- Includes all 5 PXS Target Peep Clarifiers in the PXS Target Peep Storage Case.



PXL Hunter EZ-View Verifier Kits

- Grab your bow or sight pins and pick up the Specialty Archery Easy-View Verifier Kits and See for yourself!
- Now look through the packages at the different Verifier powers while looking at your sight pins. Keep in mind you want to view this at a normal shooting distance.
- Too weak of a Verifier and your pins will still be a little fuzzy; too strong of a Verifier and your target will be fuzzy.
- The trick is to find that Verifier that is just right for you; not too strong, but not too weak.
- You will know when you have the correct Verifier power when your pins and your target are clear!
- Verifiers are installed in the peep housing and are removable!



US Patents #D869591,
#10,161,719 &
#10,852,096

← **WEAK** ————— **Verifier Power** ————— **STRONG** →

#4 Silver

#5 Purple

#6 Pink

#7 Blue

#8 White

#9 Orange



#PXLHVK4



#PXLHVK5



#PXLHVK6



#PXLHVK7



#PXLHVK8



#PXLHVK9



**Black Peep
Guard Included!**

How Does The Peep System Work?

Large Size Peep Housing

- Accepts Large Verifiers & Clarifiers.
- Accepts 1/8" and smaller Verifiers, Clarifiers & Apertures with use of Peep Reducer (#753-3).
- Comes with a Peep Reducer (#753-3) and a Dual Aperture Wrench (#210078).
- A popular Specialty Archery Peep for hunting.
- Available in Black, Blue, Green, Red, Camo, Pink, Purple & Silver.
- *Note: Large Peeps are only available in 37 degree string angle.*
- *Note: Large Clarifiers and Verifiers when installed into the Large Size Peep Housings have approximately 3/16" field of view.*

1/8" & Smaller Apertures



Standard Size Peep Housings

Pro Series (Hooded) and Ultra Lite (Non-hooded)



1/8" & Smaller Clarifiers




1/8" Verifiers



MACHINED ALUMINUM PART

Large Size Peep Housings



Peep Reducer



Large Clarifiers



Large Verifiers



- Different size apertures interchange without removing the peep from the string. (See Apertures available on page 11.)
- Also works with optional Specialty Archery Clarifiers (See page 11) and Verifiers (See page 12).
- Peeps & Apertures are anodized with a matte finish to reduce glare.
- Available in 37 and 45 degree string groove angles for optimal performance with your bow. (See chart on page 8.)
- Colors available: Black, Blue, Green, Red, Camo, Pink, Purple & Silver.
- Accepts all Specialty Archery Apertures, 1/8" and smaller Clarifiers & 1/8" Verifiers.

Standard Size Peep System

**MACHINED
ALUMINUM PART**

Ultra-Sleek Profile

**Deep Perimeter Groove For
Easy Securing Of Peep Into String**

**Hooded To
Reduce Glare**

**Smooth String Groove
Will Not Cut Your String!**

**Threaded To Accept Apertures,
Clarifiers & Verifiers**

**Weighs
Only 7.5
Grains!**


**Weighs
Only 9.5
Grains!**

- Different size apertures interchange without removing the peep from the string. (See Apertures available on page 11.)
- Also works with optional Specialty Archery Clarifiers (See page 11) and Verifiers (See page 12).
- Peeps & Apertures are anodized with a matte finish to reduce glare.
- Available in 37 and 45 degree string groove angles for optimal performance with your bow. (See chart below.)
- Colors available: Black, Blue, Camo, Green, (Pink while supplies last), Purple, Red & Silver.
- Accepts original Specialty Archery Apertures, 1/8" and smaller Clarifiers & 1/8" Verifiers.

Pro Series Peep (Hooded)

#749-37PS & #749-45PS

Black & Colored



Ultra Lite Peep (Non-Hooded)

#749-37UL & #749-45UL


Black & Colored




Size Comparison




**5" BRACE HEIGHT
DRAW LENGTH**




**6" BRACE HEIGHT
DRAW LENGTH**



**7" BRACE HEIGHT
DRAW LENGTH**



**8" BRACE HEIGHT
DRAW LENGTH**



*If your setup falls on the dividing line between 37 & 45 degrees, you may use either string angle.

**Standard Peep
Angle Charts**

Large Peep System

**MACHINED
ALUMINUM PART**



- Accepts Large Verifiers (See page 12) & Clarifiers (See page 11).
- Accepts 1/8" and smaller Verifiers, Clarifiers & Apertures with use of Peep Reducer (#753-3).
- Comes with a Peep Reducer (#753-3) and a Dual Aperture Wrench (#210078).
- The most popular Specialty Archery Peep for hunting.
- Available in Black, Blue, Camo, Green, (Pink while supplies last), Purple, Red & Silver.
- *Note: Large peeps are only available in 37 degree string angle.*
- *Note: Large Clarifier and Verifiers when installed in the Large Peeps have approximately 3/16" field of view.*



**Large
Non-Hooded
Peep**
#749-37L
Black & Colored



Black



Blue



Camo



Green



Pink



Purple



Red



Silver

**Large
Hooded Peep**
#749-37LH
Black & Colored




5/16" XL Non-Hooded Peep



- Due to customer demand, Specialty Archery is now offering a larger diameter peep & Verifier!
- 5/16" XL Non-Hooded Peep is larger than our current Large Peep Housings.
- Lets in the maximum amount of light for low light shooting.
- Works with Specialty Archery 5/16" XL Verifiers (See below, and page 12).
- Note: does NOT include a Reducer or XL Aperture. Cannot be used with Specialty Archery's smaller Apertures, Clarifiers or Verifiers.
- Note: does not work with Peep Aligners.
- Available in black only.
- *Note: 5/16" peeps are only available in 37 degree string angle.*

MACHINED ALUMINUM PART



Size Comparison



5/16" XL Peep Accepts 5/16" Verifiers



Clarifiers

Specialty Archery Clarifiers Are Designed To Make The Target Crystal Clear!

- 5 different power Clarifiers available.
- Helps make your target crystal clear when using a scope & lens.
- Allows the shooter to pick out target details at a distance.
- The stronger the lens, the more powerful the Clarifier needed. (See chart below for suggestions.)
- Available in multiple Aperture sizes. (See chart below for suggestions.)

1/8" & Smaller Clarifiers

#.5, #1, #1.5, #2 & #3



Large Clarifiers

#753-40.5, #753-41, #753-41.5, #753-42 & #753-43



No Clarifier

**Without A Clarifier
Target Is Blurry!**



With A Clarifier

**With A Clarifier
Target Is Clear!**




Optically Centered Technology

- Industry leading centration standards.
- What this means is every Clarifier lens at Specialty Archery is held to industry leading tolerances.
- Perfectly centered image.
- Improved centration eliminates rotational image shift.



Layered Coating Technology

- Never before has so much technology gone into a lens of this size. Each Clarifier Lens is fully multicoated for superior anti-reflection in all lighting conditions.



Scope Size & Suggested Aperture Size	Aperture Diameter	#.5 Gold 2-4 Power Lens	#1 Yellow 2-6 Power Lens	#1.5 Ice Blue 3-8 Power Lens	#2 Green 4-8 Power Lens	#3 Red 6-8 Power Lens
#040-2 (1 3/8"), #040-3 & #040-5	1/32"	Part #760	Part #727	Part #770	Part #728	Part #729
#040-2 (1 3/8"), #040-1 (1 5/8"), #040-3, #040-5 & Versa ²	3/64"	Part #761	Part #724	Part #771	Part #725	Part #726
#040-2 (1 3/8"), #040-1 (1 5/8"), #040-3, #040-5 & Versa ²	1/16"	Part #762	Part #734	Part #772	Part #737	Part #740
#040-1 (1 5/8"), #040-3, #040-5, #040-6, #1011 & Versa ³	3/32"	Part #763	Part #735	Part #773	Part #738	Part #741
#040-6 & #1011 (Super D) & Versa ³	1/8"	Part #764	Part #736	Part #774	Part #739	Part #742
#040-6 & #1011 (Super D) & Versa ³	Large 3/16" *Approx	Part #753-40.5	Part #753-41	Part #753-41.5	Part #753-42	Part #753-43

Apertures

**MACHINED
ALUMINUM PART**



1/8" #746 3/32" #745 1/16" #744 3/64" #743 1/32" #719

- Fits into Specialty Archery Standard & Large Peeps. Apertures will not fit into XL Peeps, PXS Peeps or PXL Peeps.
- Peep Reducer (#753-3) is needed for the apertures to fit 1/4" Peeps.
- 5 Aperture sizes available.

Aperture Kits

**MACHINED
ALUMINUM PART**

Aperture Kit	Aperture Kit
Includes: Apertures, Dual Aperture Wrench (#210078), & Storage Case (#210000).	Part #
Three Smallest Apertures (1/32", 3/64" & 1/16")	#749-123
Three Middle Apertures (3/64", 1/16" & 3/32")	#749-234
Three Largest Apertures (1/16", 3/32" & 1/8")	#749-345
All Five Apertures (1/32", 3/64", 1/16", 3/32" & 1/8")	#749-005



*Aperture Kit #749-005 shown

Verifiers

**MACHINED
ALUMINUM PART**

Specialty Archery Verifiers, Designed To Clear Up Your Pins. Old Eyes Made New Again!

PROBLEM SOLVED!

Don't go into the woods or the range with blurry pins!

We've got the solution for you!



- Brings archery back to life for archers who can no longer see their sight pins clearly.
- Verifiers sharpen the sight picture so the pins are easy to see.
- May be purchased separately or in a kit.
- 6 different powers available. #4 (Silver) lens is the weakest & the #9 (Orange) is the strongest.
- #750-xx Verifiers fit the 1/8" & Large Specialty Archery Peeps. Large peeps require the use of a Reducer (#753-3) for use with our 1/8" Verifiers. **Custom Verifiers also available in 1/32", 3/64", 1/16" & 3/32".*
- #753-xx Verifiers fit the Large Peeps and have a approximate 3/16" field of view.
- #755-xx Verifiers fit the 5/16" Peeps.

← **WEAK** ————— **Verifier Power** ————— **STRONG** →

#4 Silver

#750-10 (1/8")

#753-10 (3/16")*

#755-10 (5/16")



#5 Purple

#750-11 (1/8")

#753-11 (3/16")*

#755-11 (5/16")



#6 Pink

#750-12 (1/8")

#753-12 (3/16")*

#755-12 (5/16")



#7 Blue

#750-13 (1/8")

#753-13 (3/16")*

#755-13 (5/16")



#8 White

#750-14 (1/8")

#753-14 (3/16")*

#755-14 (5/16")



#9 Orange

#750-15 (1/8")

#753-15 (3/16")*

#755-15 (5/16")



*#753 Verifiers have approximately 3/16" field of view.

EZ-View Verifier Kits

With EZ-View Packaging!

- Grab your bow or sight pins and pick up the Specialty Archery Easy-View Verifier Kits and See for yourself!
- Now look through the packages at the different Verifier powers while looking at your sight pins. Keep in mind you want to view this at a normal shooting distance.
- Too weak of a Verifier and your pins will still be a little fuzzy; too strong of a Verifier and your target will be fuzzy.
- The trick is to find that Verifier that is just right for you; not too strong, but not too weak.
- You will know when you have the correct Verifier power when your pins and your target are clear!
- Verifiers are installed in the peep housing and are removable!



← **WEAK** ————— **Verifier Power** ————— **STRONG** →



Black Peep Guard Included!

Large Hooded EZ-View Verifier Kits

Large Hooded Peep, Verifier, Dual Aperture Wrench, Peep Reducer, Lens Cleaning Swab & Peep Guard (PG1-BLK) included.

Verifier Power	Verifier Color	Part #
#4	Silver	#753LH4
#5	Purple	#753LH5
#6	Pink	#753LH6
#7	Blue	#753LH7
#8	White	#753LH8
#9	Orange	#753LH9

*Approximately 3/16" field of view.

Large Non-Hooded EZ-View Verifier Kits

Large Non-Hooded Peep, Verifier, Dual Aperture Wrench, Peep Reducer, Lens Cleaning Swab & Peep Guard (PG1-BLK) included.

Verifier Power	Verifier Color	Part #
#4	Silver	#753L4
#5	Purple	#753L5
#6	Pink	#753L6
#7	Blue	#753L7
#8	White	#753L8
#9	Orange	#753L9

*Approximately 3/16" field of view.

5/16" XL Non-Hooded EZ-View Verifier Kits

5/16" XL Non-Hooded Peep, Verifier, 5/16" XL Wrench, Lens Cleaning Swab & Peep Guard (PG1-BLK) included.

Verifier Power	Verifier Color	Part #
#4	Silver	#755XL4
#5	Purple	#755XL5
#6	Pink	#755XL6
#7	Blue	#755XL7
#8	White	#755XL8
#9	Orange	#755XL9


Peep Accessories

US Patent #9,958,236

Peep Aligner

#PAL & #PAS

- #PAS works with our standard peep housings.
- #PAL works with our Large Peep Housings.
- Ensures proper peep alignment at full draw.
- Includes 16" of Silicone Tubing (#753-6).
- **Note: Not Compatible with 5/16" XL Peeps.**



**Peep not included.*

Storage Case

#210000

- Handy storage case for Apertures, Clarifiers, Verifiers & Dual Aperture Wrench.



Peep Reducer

#753-3

- Allows Specialty Archery 1/4" Peeps to accept 1/8" and smaller Verifiers, Clarifiers & Apertures.
- Great for cleaning Clarifiers & Verifiers.
- Qty 20 per package.



16" Silicone Tubing

#753-6



Dual Aperture Wrench

#210078



5/16" XL Wrench

#210079



Premium Lens Cleaning Swab

#502



- Qty 15 per package.

Peep Guard

Black #PG1-BLK

Red #PG1-RD

- Protects your Peep/Clarifier/Verifier from the elements.
- Easy installation & removal.
- Available in red or black.



**Peep not included.*

Peep Shade

#PS-BLK



Peep Shade



Peep Shade Large

#PSL-BLK



**Peep Shade Tool & 4 pieces of shrink tubing included.*

- Reduces chance of glare with Verifiers & Clarifiers.
- Easily insert & remove Verifiers, Clarifiers & Apertures.
- Peep Shade Tool included to obtain a perfectly-formed Peep Shade.
- *Peep Shade is for use with Pro Series & Ultra Lite Peep Housings.*
- *Peep Shade Large is for use with Large Peep Housings.*

Lens Cleaning Swab

#501



Peep Shade Replacement Tubing

#PS-BLK-R

- Includes 4 perfectly cut pieces of shrink tubing for Standard Size Peeps.
- **Not for use with 1/4" or 5/16" XL Peep Housings.*



Peep Shade Large Replacement Tubing

#PSL-BLK-R

- Includes 4 perfectly cut pieces of shrink tubing for Large Peeps.
- **Not for use with Standard or 5/16" XL Peep Housings.*

Super Hunter Peep Kits

For the archer who prefers to use alignment tubing.

1 Peep Housing

- 37 degree string angle for shorter axle to axle hunting bows.
- Comes with Silicone Tubing (#753-6) and Dual Aperture Wrench (#210078).
- #753LH will accept all current Large Verifiers & Clarifiers.
- Accepts all 1/8" and smaller Verifiers, Clarifiers & Apertures with use of Peep Reducer (#753-3).
- The #750PS comes with a 1/8" Aperture and accepts all Apertures, 1/8" and smaller Clarifiers and 1/8" Verifiers.
- Parts available in a kit or sold separately.
- Available in black only.

Large Super Hunter Peep Kit Part #	Standard Size Super Hunter Peep Kit Part #
#753LH	#750PS



1 Peep Aligner
#PAL or PAS



16" Silicone Tubing
#753-6



1 Dual Aperture Wrench
#210078



#749-37LH



#749-37PS

1-800-555-2856 ~ www.specialtyarch.com



Versa² & Versa³ Scope



***Patent Pending**



Versa³ 3D Scope
#V33D

Versa² Target Scope
#V2TG

- The new Specialty Archery Versa² Target and Versa³ 3D scopes are the most advanced and versatile scope systems on the market!
- **NEW** innovative knurled Red Clamp Ring attachment system allows for attachment of a wide variety of different scope accessories to scope.
- The new Versa² Target and Versa³ 3D scopes are easily converted to either RH or LH use.
- Available in 2 sizes: smaller diameter Versa² Target for target and spot shooting, works with the Specialty Archery 1.345" diameter lenses (both positive power lenses and Double Vision lenses). The larger diameter Versa³ 3D works with the Specialty Archery 1.750" diameter lens, and is best suited for 3D shooting, or for archers who prefer a larger diameter field of view.
- Works with the Double Vision Lens System as well as the 007 Super 7 Bright Sight!
- New Super 7 Bright Sight UV Cable compatibility!



Versa² & Versa³ Shades



Versa² Full Shade
#V2SSF



Versa³ Full Shade
#V3SSF



Versa² Half Shade
#V3SSH



Versa³ Half Shade
#V3SSH

- The Specialty Archery Versa² and Versa³ Scope Shades are a great accessory for the Versa² and Versa³ Scopes.
- Reduces glare on bright days or with harsh indoor lighting conditions.
- Available in Full or Half shade configurations.
- Multiple shade options available - can put a Full or Half shade on front or back of the scope, or one on each side.
- Alignment tabs on Scope Shades insert into notches in Versa² and Versa³ Scope bodies prevent Scope Shades from rotating.

Multiple Shade Options!



Versa² Lens Clamp
#V2LC
Versa³ Lens Clamp
#V3LC

- Black plastic ring/spacer that holds lens in place.
- Holds lens in place when Scope Shade is NOT used.



Versa² Red Clamp Ring
#V2CR
Versa³ Red Clamp Ring
#V3CR

- Machined aluminum Red Clamp Ring.
- Holds Lens Clamp or Scope Shade (or other accessory) and lens in place.



Scope Decal Green (2 per pack)

Versa² Scope #V2SDG
Versa³ Scope #V3DGG

Scope Decal Orange (2 per pack)

Versa² Scope #V2SDO
Versa³ Scope #V3DOO

Scope Decal Chartreuse (2 per pack)

Versa² Scope #V2SDC
Versa³ Scope #V3DCO

Scope Blockers



Versa² Scope Blocker
#V2BLOCK

Versa³ Scope Blocker
#V3BLOCK

- The Scope Blocker is designed to obscure your peripheral vision around the scope and help the archer focus on the target.
- Easily installed or removed by snapping into place.



Versa² & Versa³ Rheostat Fiber Rings



*Rheostat shown attached to scope
Scope Not Included

Fully Adjustable Pin Brightness



Versa² Rheostat Fiber Ring


- .010" Pin #V2RFR010
- .020" Pin #V2RFR020
- .030" Pin #V2RFR030

Versa³ Rheostat Fiber Ring

- .010" Pin #V3RFR010
- .020" Pin #V3RFR020
- .030" Pin #V3RFR030

- Rheostat Fiber Rings allows the user to adjust Glow Pin brightness for individual target presentations.
- Rheostat Fiber Rings can also be used without a Glow Pin – use a drilled lens and fiber, eliminates the distraction of seeing the Glow Pin!
- Turn the cover to expose more fiber to increase pin brightness, cover up more fiber to reduce pin brightness!
- Rheostat Fiber Ring comes with green fiber installed, but also includes red and blue fiber.
- Available in .010", .020" and .030".

Versa² & Versa³ 007 Glow Rings



*Scope & #007
Not Included

Pin Size	Versa² Right Hand Part #	Versa² Left Hand Part #	Versa³ Right Hand Part #	Versa³ Left Hand Part #
.010"	#V2007GRRH010	#V2007GRLH010	#V3007GRRH010	#V3007GLRH010
.020"	#V2007GRRH020	#V2007GRLH020	#V3007GRRH020	#V3007GLRH020
.030"	#V2007GRRH030	#V2007GRLH030	#V3007GRRH030	#V3007GLRH030

- Versa² & Versa³ 007 Glow Rings (RH/LH) are for use with a "traditional" fiber optic Glow Pin when used with the Super 7 Bright Sight.
- Shines light into the end of the fiber, similar to the "traditional" 007.
- Available in .010", .020" and .030".
- MUST specify RH or LH.

Versa² & Versa³ Glow Pin & Fiber



Versa² Glow Pin & Glow Fiber

- .010" Pin #V2GP010
- .020" Pin #V2GP020
- .030" Pin #V2GP030



Versa³ Glow Pin & Glow Fiber

- .010" Pin #V3GP010
- .020" Pin #V3GP020
- .030" Pin #V3GP030

- 2 different pin lengths, shorter pin for Versa² Target scope and longer pin for Versa³ 3D scope.
- Available in .010", .020" or .030". Includes 18" of fiber.



Replacement Glow Fiber



- .010" Fiber #GF18-010
- .020" Fiber #GF18-020
- .030" Fiber #GF18-030

- Includes 18" of Red, Green & Blue Fiber and shroud.
- Available in .010", .020" & .030" diameters.



*UV Half Shade shown with Glow Pin sold separately



Versa² & Versa³ 007 UV Half Shade

Versa² 007 UV Half Shade
#V2007UVHS

Versa³ 007 UV Half Shade
#V3007UVHS

- Versa² 007 UV Half Shade and Versa³ 007 UV Half Shade are for shining the Specialty Archery 007-UV Light onto a fluorescent adhesive dot, a Glow Pin with fiber optic, or fiber optic in a drilled lens.
- NOTE: MUST use Specialty Archery's 007-UV light cable.



*UV Half Shade shown with 007 UV Cable installed, sold separately



Versa² & Versa³ Scope Kit

***Patent Pending**

Versa² Scope Kit
#V2KT

Versa³ Scope Kit
#V3KT

- Kits are available for both the Versa² and Versa³ Scopes!
- Kits include:
 - 1 - Versa² or Versa³ Scope, 2 Lens Clamps and 2 Red Clamp Rings.
 - 1 - Scope Shade Full.
 - 1 - Scope Shade Half.
- Shades reduce glare on bright days or with harsh indoor lighting conditions.
- Alignment tabs on Scope Shades insert into notches in Versa² and Versa³ Scope bodies prevent Scope Shades from rotating.



Versa² & Versa³ UV 007 Kit



*Scope, lens and dot not included in kit



Versa² UV 007 Kit
#V2007UVKT

Versa³ UV 007 Kit
#V3007UVKT

- Versa² and Versa³ UV 007 Kit includes:
 - 1 - 007.
 - 1 - 007 UV Cable.
 - 1 - 007 UV Half Shade (for Versa² or Versa³ scope, depending on kit purchased).
- Can be used in multiple configurations:
 - With an adhesive aiming dot (see Circles and Dots, part #614, page #20).
 - With a Versa² or Versa³ Glow Pin and short section of fiber optic.
 - With a center-drilled lens and short section of fiber optic.



007 UV Light Cable #007-UV



- For use with any 007.
- **MUST** be used with Versa² or Versa³ 007 UV Half Shade.
- Causes short fiber optic or adhesive dot to glow when illuminated.

Versa Scope & Versa Scope 3D



**Versa Scope
#040-5**



Uses Glow Pin #GP1

- The Versa Scope accepts both Specialty Archery 1.345" diameter as well as 1.275" diameter lenses.
- Dual ledge lens pocket accommodates both lens sizes.
- Comes with the Double Vision Lens Retaining Ring (uses 1.108" Double Vision Lens) for use with the Double Vision lens system. (See pages 24-25.)
- Accepts the Specialty Archery Glow Pin (GP1) in .010", .020" or .030" diameter. (See page 23.)
- Glow Pin can be positioned as an up pin, a down pin, or side pin. (Pin must be mounted opposite 10/32 scope mounting rod.)
- Scope outside diameter of 1.625"; inside diameter (field of view) of 1.000".
- Easily converted from RH to LH by changing position of the 10/32 scope rod.
- Yellow Level (#637Y).
- Available in black only.
- **While supplies last.*



**Versa Scope 3D
#040-6**

- The Versa Scope 3D accepts 1.720" - 1.750" diameter lenses.
- Accepts the Specialty Archery Glow Pin (GP2) in .010", .020" or .030" diameter. (See page 23.)
- Glow Pin can be positioned as an up pin, a down pin, or side pin. (Pin must be mounted opposite 10/32 scope mounting rod.)
- Scope outside diameter of 1.990"; inside diameter (field of view) of 1.585".
- Easily converted from RH to LH by changing position of the 10/32 scope rod.
- Yellow Level (#637Y).
- Available in black only.
- *Note: Versa Scope 3D does not accept the Double Vision System.*
- **While supplies last.*



**Uses Glow
Pin #GP2**

1 3/8" Super Scope Kit



- The Specialty Archery Super Scope Kit is a great introduction scope and lens kit.
- Features the X-Focus 365 #365PC lens in 2x, 4x, 6x & 8x powers. (See page 21.)
- Clear 1 3/8" (#040-2) polycarbonate scope housing. (See page 19.)
- Compatible with Double Vision Lenses. (See page 25.)

Positive Power Lens	Super Scope Kit Part #
2X	#SK22
4X	#SK24
6X	#SK26
8X	#SK28

Super Scopes & Accessories

Super Scope 1 3/8"

#040-2

- Made of clear or black polycarbonate; the same material used in bullet proof glass.
- Clear housing offers the ultimate in light transmission, resulting in a brighter image.
- Change from right to left handed in seconds.
- Glow Rings available in .010", .020" or .030" diameter. (See page 23.)
- #040-1 Scope outside diameter of 1.813"; inside diameter (field of view) of 1.245".
- #040-2 Scope outside diameter of 1.580"; inside diameter (field of view) of 1.040".



Super Scope 1 3/8"

#040-2BLK

Did you know? You can convert your standard Specialty Archery polycarbonate scope housing for use with a Double Vision Lens. All that is needed is a Double Vision Lens to fit your Specialty Archery scope housing (1.345" for 1 5/8" scope; 1.108" for 1 3/8" scope) and an additional Specialty Archery Plain Ring (#0416 1 5/8" or #0416 1 3/8"). (See pages 24 & 25.)

Super Scope 1 5/8"

#040-1

Thumbscrews

For #040-1, #040-2 & #040-3 Super Scopes

#608



Super Scope Plain Ring

#0416 1 5/8"

#0416 1 3/8"

Super Scope 1 5/8"

#040-1BLK

Super D Scopes & Accessories

Super D Scope

#1011

- #1011 Scope outside diameter of 2.500"; inside diameter (field of view) of 1.950". and a "Flat Cut" design to allow for extra fletching clearance.
- Excellent choice for 3D shooting.
- Super D Glow Rings available in .010", .020" or .030" diameter. (See page 23.)
- Available in clear or black housings.



Super D Plain Ring

#019

Super D Black Scope

#1011BLK

Super D Thumbscrews

#022



Scope Hoods



#616M



#616L

- Protects your scope lens from rain, dust and scratches.
- Easily attached and removed with one hand.
- 616M fits any scope with a diameter of 1.750" or less.
- 616L fits any scope with a diameter larger than 1.750".

Sun & Rain Shields

- Small Sun & Rain Shields fit any scope with a diameter smaller than 1.750".
- Large Sun & Rain Shields fit any scope with a diameter larger than 1.750".

Sun Shield Small

#615SS

Sun Shield Large

#615SL

Rain Shield Small

#615RS

Rain Shield Large

#615RL

Levels



- 3 Sizes of levels.
- Small Level measures .882" x .315" (#638's)
- Large Level measures 1.373" x .374" (#609's)
- Long Level measures 1.22" x .315" (#637's)

Scope	Part # Red	Part # Blue	Part # Yellow
#040-1 (1 5/8")	609	609B	609Y
#040-2 (1 3/8")	638	638B	638Y
#040-3 (Pro Series)	638	638B	638Y
#040-4 (Pro Series XL)	609	609B	609Y
#040-5 (Versa Scope)	637R	637B	637Y
#040-6 (Versa Scope 3D)	637R	637B	637Y
#1011 (Super D)	638	638B	638Y
#Versa ² & Versa ³ Scopes	637R	637B	637Y

Scope Decals

*2 per pack



(G) Green



(O) Orange



(C) Chartreuse

Scope	Part # Green	Part # Orange	Part # Chartreuse
#040-1 (1 5/8")	621G	621O	621C
#040-2 (1 3/8")	622G	622O	622C
#040-3 (Pro Series)	623G	623O	623C
#040-4 (Pro Series XL)	624G	624O	624C
#040-5 (Versa Scope)	625G	625O	625C
#040-6 (Versa Scope 3D)	626G	626O	626C
#Versa ²	V2SDG	V2SDO	V2SDC
#Versa ³	V3SDG	V3SDO	V3SDC

Delrin Spacers



#650

Lens Caddies



Lens Caddy 6
#LC6



Lens Caddy 3
#LC3

- Specialty Archery's Lens Caddies provide a safe place to store your lenses and come with either 3 or 6 padded envelopes to protect your lenses.
- Accepts lenses up to 1.750" in diameter.
- *NOTE: Does NOT work for Super D lenses.*
- *NOTE: Lenses not included.*

Scope Rod

#600



Circles & Dots

#614B (3 Strips Black)

#614Y (3 Strips Yellow)

#614O (3 Strips Orange)

#614C (1 Black, Yellow & Orange)



Lens Cleaning Kit

#640

Soft-Tek Cloth

#642

Lens Brite Anti-Fog Cleaner

#641





Excalibur Tuff Glass Lenses

The Lens Makes The Difference

- Made from high quality optical, optically centered, coated & tempered glass.
- 99.5% light transmission.
- Available in 2, 3, 4, 6, 7 & 8 power (Super D & Pro Series XL not available in 7 power).



1.125" Lens For #040-2 Scopes

2X - #7022T
3X - #7032T
4X - #7042T
6X - #7062T
7X - #7072T
8X - #7082T

1.345" Lens For #040-1, #040-3 #040-5 & Versa² Scopes

2X - #702T
3X - #703T
4X - #704T
6X - #706T
7X - #707T
8X - #708T

1.750" Lens For #040-4 #040-6 & Versa³ Scopes

2X - #7024T
3X - #7034T
4X - #7044T
6X - #7064T
8X - #7084T

2.20" X 1.90" Super D Lens For #1011 Scopes

2X - #702DT
3X - #703DT
4X - #704DT
6X - #706DT
8X - #708DT



- Specialty Archery is a X-Focus 365 Lens supplier!
- X-Focus 365 offers superior coatings and optical centration of lenses.
- Super-hydro and super-oleophobic coatings to repel water, oils and grime on all lenses!
- Superior coatings also are super resistant to surface scratches.
- Custom sizing available.
- #365PC & #365CL lenses available in 2x, 4x, 6x & 8x.
- The #365PC and the #365CL can be center drilled in various sizes to accommodate glow fiber.
- Custom sizing and drilling for fiber optic available. (Custom sizing and drilling are in addition to lens price.)

#365GH

- Full anti-reflective coated optics coating featuring hydrophobic properties to shed water.
- This lens has been developed and designed using very sophisticated design elements that are used in astronomy and binocular production.
- Available in 2X, 3X, 4X, 5X, 6X, 7X & 8X Powers.
- Plano – Convex base construction for ultimate performance.
- Hardened glass for superior durability and coating resilience.
- Custom Sizing available.

#365PC

- Super Hydro AR coated Polycarbonate lens.
- Premium aspheric optical performance in a polycarbonate lens.
- Super-hydro and super-oleophobic coating chemistry repels water, oils and grime.
- Easy to clean with advanced hydro & oleophobic topcoat. Anti-static coating keeps lens cleaner longer.
- Tough scratch resistance extends the life of the lens.

#365CL

- Made from a unique lightweight composite material that provides superior clarity in a non-glass lens.
- Improved aspheric design and light management properties provide nearly the same optical characteristics as high end glass lens.
- Super-hydro and super-oleophobic chemistry repels water, oils and grime.
- Easy to clean with advanced hydro & oleophobic topcoat. Anti-static coating keeps lens cleaner longer.
- Tough scratch resistance extends the life of the lens.
- The toughest, clearest, sharpest non-glass lens available.

007 Super Bright Sight With Fiber Kit



Super 7 Bright Sight With Fiber Kit

#007

7 Selectable Colors



- 7 different colors: **Green**, **Blue**, **Light Blue**, **Red**, **Amber**, **Violet**, & **White**.
- Variable brightness adjustment.
- Automatic shut-off after 5 minutes to prolong battery life.
- Operates on one AAA battery (lithium batteries recommended).
- Battery life can be tested by pressing and holding the ON button.
 - Green = battery is new
 - Blue = battery is mid-life
 - Red = battery is low, replace
- Estimated alkaline battery life is 6.5 hours for full brightness. 78 cycles at 5 minutes each.
- Memory function – stores the color and brightness.
- Weighs 1.6 oz. with battery.
- For use on all Specialty Archery scopes.
- Compatible with other manufacturers' scopes that use a fiber optic sight pin.
- Fiber Kit now included!

Fiber Kit Now Included!


007 Fiber Kit

- Allows use of Specialty Archery 007 Super Bright Sight with Specialty Archery and other manufacturers' scopes.
- Replaces the fiber in your existing sight pin with the clear fiber in the Fiber Kit.
- Easily converts a standard Glow Ring (GR) or Versa Scope to accept the 007 sight.
- Includes 8" of .010", .020" & .030" clear fiber optic & clear protective shroud.
- Aluminum Fiber Adapter & Compression Washer for attaching fiber optic.
- Clamp & Bolt for mounting.



#FBK-007

Fiber Kit



#007

007 LED Replacement Cable

#007-LC

- Allows the #007 to be used on multiple scope housings.
- Replaceable LED Cable for #007 Super Bright Sights.



007 LED Bright Blue Light Cable

#007-LB

- Brighter "Blue only" light cable for the 007.
- Does NOT work with alternate 007 colors.
- Brighter than standard 007 cable.



007 UV Light Cable

#007-UV

- Replacement UV Light Cable for 007.
- For illuminating adhesive dot or short fiber optic.



007 Axcel Adapter

#007-AXC

- Allows the use of the #007 Super Bright Sight with your Tru-Ball Axcel Scope.
- Adapter screws directly into the threaded end of the Axcel YCS scope mounting connector.



**Axcel Adapter shown attached to scope and #007.*

1 Glow Ring...




Glow Rings

- Specialty Archery's Glow Ring (GR) now has easily replaceable fiber and includes an easily replaceable Glow Pin (GP), allowing the archer to customize both fiber color and pin diameter.
- Glow Pin protects fiber from damage.
- Fiber colors are easily interchangeable without the use of tools.
- Clear fiber shroud allows maximum light transmission to the fiber, allowing for maximum pin brightness.
- Available in .010", .020" or .030" diameter.
- Each Glow Ring includes 8" of red, green & blue fiber optic.
- Glow Pin can also be replaced if the archer desires to change pin size without the need to purchase an additional Glow Ring.



Scope	Part # .010" Fiber	Part # .020" Fiber	Part # .030" Fiber
#040-1 (1 5/8")	GR1-010	GR1-020	GR1-030
#040-2 (1 3/8")	GR2-010	GR2-020	GR2-030
#040-3 (Pro Series)	GR3-010	GR3-020	GR3-030
#040-4 (Pro Series XL)	GR4-010	GR4-020	GR4-030
1011 (Super D)	GRD-010	GRD-020	GRD-030



Glow Pins

- Glow Pin allows the archer to easily change the pin size and fiber color of the Glow Ring.
- Each Glow Pin includes 8" of red, green, and blue fiber optic in .010", .020", or .030" diameter.

Scope / Glow Ring	Part # .010" Fiber	Part # .020" Fiber	Part # .030" Fiber
#040-5 (Versa Scope) / GR1 / GR2/ GR3	GP1-010	GP1-020	GP1-030
#040-6 (Versa Scope 3D) / GRD	GP2-010	GP2-020	GP2-030




Glow Fiber


- 18" of Glow Fiber per color.
- Also includes 18" of protective shroud.
- Comes in 3 pack of: 1 red fiber, 1 green fiber and 1 blue fiber in .010", .020", or .030" diameter.

Part # .010" Fiber	Part # .020" Fiber	Part # .030" Fiber
GF18-010	GF18-020	GF18-030

Double Vision Kits



- Great way to get started with the Double Vision System!
- #040-2 (1 3/8" Clear Scope Housing) Polycarbonate Housing.
- X-Focus 365 #365PC Positive Lens, 4X or 6X. (See page 21.)
- Blue Double Vision Lens with a .312" (5/16") hole only.
- 1 3/8" Lens Retainer Ring & Thumbscrews.



Double Vision Kit Includes The Following:



1 3/8" Clear Super Scope
#040-2



1.125" #365PC Lens
+4X Or +6X



1.108" Blue DV Lens
-2X, -4X Or -6X



Super Scope Plain Ring
#0416 1 3/8"

Positive Power Lens	Negative Power Blue Double Vision Lens	Double Vision Kit Part #
4X	-2X	#DVK42
4X	-4X	#DVK44
6X	-2X	#DVK62
6X	-4X	#DVK64
6X	-6X	#DVK66

Double Vision Assembly



Versa Scope #040-5

#040-1 & #040-2 Scopes

1-800-555-2856 ~ www.specialtyarch.com

Pro Series Double Vision Ring #RRDVPS



- Allows Specialty Archery Pro Series Scope (#040-3) to be used with the 1.108" Double Vision Lenses.

Double Vision Lens Retainer Rings for small CBE Scope

#RRDVCBE




- Allows the 1 3/8" small CBE scope housing to be used with the 1.108" Double Vision Lenses.




Double Vision Lens System

Double Vision Lens System



- Upgrade your scope to the Double Vision Lens System!
- Works with True Spot Target, True Spot 3D, #040-1, #040-2, #040-3, #040-5 & Versa² Scope Housings. (1 3/8" & 1 5/8" Scope Housings require the purchase of an additional Plain Ring, part #0416 - See page 19).
- Pairing two lenses together allows for any positive center spot power to be coupled with a tinted -2X, -4X, -6X or -8X outer lens power.
- Double Vision lenses are available in Amber, Blue, Red & Smoke tints.
- Double Vision lenses are available in 1/4" (.250"), 5/16" (.312") & 3/8" (.375") hole sizes.
- *Note: Custom sizing available for an additional charge.*

Lens Colors Available



Customize Your View

**Simulated Scopes...your results can vary.*

- Customize your sight picture with three different standard hole sizes.
- The larger the hole size, the larger the field of view on the target.
- Other custom hole sizes available for an additional charge.

Double Vision Scope Magnification Comparison

Did you know that it might be possible to use the Specialty Archery Double Vision System with your current scope housing?

Please contact us for more details and see if the Double Vision System can be used in your current sighting system!



Pro Stix Stabilizers & Weights

- Specialty Archery's Pro Stix stabilizer is our most advanced tournament style stabilizer to date.
- It is made from an ultra-stiff, high-modulus carbon which offers the perfect blend of rigidity and vibration dampening.
- The machined aluminum base also has a built-in Quick Disconnect system for easy removal of stabilizers and side rods from the bow.
- Interchangeable weights allow for perfect balance of any setup. (Weights not included.)
- Stabilizer Rod lengths are 24", 30", and 36".
- Side/V-bar Rod lengths are 10", 12" and 15".
- Weights available in 0.5 oz., 1.0 oz. and 4.0 oz. configurations.
- Weights are also available in a kit with the following weights, which allows the shooter to add up to 7.5 oz. of weight:
 - 1 – 4 oz. weight
 - 3 – 1 oz. weights
 - 1 – 0.5 oz. weight

#010PSX-BLK (10") (6.0oz)
#012PSX-BLK (12") (6.3oz)
#015PSX-BLK (15") (6.7oz)
#024PSX-BLK (24") (7.8oz)
#030PSX-BLK (30") (8.6oz)
#036PSX-BLK (36") (9.4oz)



Pro Stix Weight Kit

#PSXWK

Includes:

- 1 - 4.0 oz. weight
- 3 - 1.0 oz. weight
- 1 - 0.5 oz. weight

Pro Stix Individual Weights

- #05PSXW (0.5 oz.)**
- #1PSXW (1.0 oz.)**
- #4PSXW (4.0 oz.)**



#0806 BLK (4.8oz)



#0808 BLK (5.0oz)



#0810 BLK (6.1oz)

Featherlite

#BLK



- SVL Navcom™ slider to absorb noise and shock.
- Built in quick disconnect.
- Optional weights available.
- Available in 6", 8" & 10" lengths.
- Made from three high modulus carbon rods.
- Machined aluminum base.
- Available in Black.

Quick Detach Mounting Systems



Quick Disconnect
#943U

#450066 BLK

Large Quick Disconnect

#907



Weights & Accessories For Featherlite & Ultra Lite Stabilizers

3 Rod Navcom™ Slider
With 0.72 & 0.52 oz Weights

#37 BLK



3 Rod Navcom™ Slider

With O-Ring
#37 NW



#44 .16 oz



#43 .52 oz



#42 .72 oz



#45BLK .08 oz



#43BLK .52 oz



#42BLK .72 oz

Dealer Tools

- Check our website for dealers in your area with these Dealer Tools.

Verifier Tool #753-20



Clarifier Tool #746-123



Aperture Tool #719-746



Shooter Sleeves

#SA-SLV

- Blocks 97.5% of UV rays.
- Breathable, keeps you cool when the temps heat up!
- One size fits most adults.
- Set of 2 sleeves.
- While supplies last.*



Lens Maintenance

Lens Cleaning Swab #501

- Great for cleaning Clarifiers & Verifiers.
- Qty 20 per package.



Lens Brite Anti-Fog Cleaner #641

#641



Lens Cleaning Kit #640

#640



Premium Lens Cleaning Swab #502

- Premium Lens Cleaning Swabs offer improved Clarifier & Verifier cleaning than our current model Lens Cleaning Swabs.
- 15 per pack.



Clarifier & Verifier Cleaning Vial #SA-CV

- Put a few drops of Specialty Archery's Lens Brite Anti-Fog Lens Cleaner (#641) into the vial with a Verifier or Clarifier, agitate, and let dry.



Shooter Shirts

- Shooter shirts are made from a breathable, anti-microbial, moisture-wicking fabric that is extremely resistant to wear.
- Also protects your body from harmful UV rays.
- Stock sizes available: Men's M, L, XL, and XXL.
- While supplies last.*

Specialty Archery Shooter Shirts

#SA-SHIRT



Bodoodle Shooter Shirts

#BD-SHIRT



Paper Tuner & Paper



#031

- Allows for fine tuning of arrow flight.
- Results in a more forgiving bow and improved broadhead flight.
- No pro shop is complete without one!
- Includes a complete set of instructions to assist with proper bow tuning.



#031PS (Small Paper Roll)



#031PL (Large Paper Roll)



Decal
#2708


Patches & Stickers



Patch
#617

Core Archery By Larry Wise #01-100

- Larry Wise is one of the top archery coaches in the world.
- Learn tips and tricks that will help target and bowhunters alike.
- Backtension.
- Improve aiming.
- Many other accuracy-improving subjects.



Vibra-Tite #VC3

- Locks & seals threaded fasteners of virtually any size.
- Utilizes a special blend of acrylic resins to prevent fasteners from loosening.
- Works well for many archery applications.
- Range: -65°F to +165°F



1-800-555-2856 ~ www.specialtyarch.com

Quick Range

- Specialty Archery's Quick Range Rangefinder Mount is the only rangefinder mount that allows you to use your regular rangefinder mounted directly to your bow (or crossbow).
- Works with most rangefinders and bows.
- Mounts to bows using standard sight mounting holes. May be placed between sight and riser, or on outside of sight.
- Eliminates excess noise and movement associated with using a traditional rangefinder.
- Includes strap and adhesive cushion for mounting rangefinder.
- Bow mount available in black or camo.
- Crossbow mount available in black.
- Available RH or LH.
- Quick Range Rangefinder Crossbow Mount - for mounting to crossbow scope picatinny rails.
- *NOTE: Check your state regulations for legality of bow-mounted electronics.*
- *NOTE: Crossbow mount indicates which side of the scope the Quick Range will be mounted on. For instance, most RH Crossbow shooters use a LH mount Crossbow Quick Range.*

Quick Range Bow



**Right hand mount shown*

Camo

#QRB-RH-CA

#QRB-LH-CA

Black

#QRB-RH-BLK

#QRB-LH-BLK

Quick Range Crossbow



**Right hand orientation shown*

Black

#QRX-RH-BLK

#QRX-LH-BLK



Super Server 2500

- Serves up to 2500 RPM; twists up to 600 RPM.
- Foot Pedal - easy stop and start.
- Memory function allows the user to store up to 64 settings for future use.
- Repeat & infinite turns functions.
- Larger air cylinder allows tensioning of strings up to 450#. (Compressor not included.)
- Light Beam Safety Sensors allows rapid stoppage of motors.
- Emergency Stop Switch completely powers off both motors.
- Easily mounts to standard 1 5/8" x 1 5/8" Unistrut. (Unistrut not included).
- Twists bowstrings evenly from both ends to ensure an even twist rate throughout the bowstring.
- Quick release air valve.
- Laser engraved marks on bases for quick string measurement.
- Can also serve as a jig for laying up bowstrings.
- Includes (1) Aluminum Jig Spool (#AJS).

Foot Pedal Included!
#SS-FP

**Aluminum Jig Spool
Included!**
#AJS



Super Server 2500
#SS-2500

**Unistrut Not Included.*

Super Server 800

- Easily mounts to standard 1 5/8" x 1 5/8" Unistrut. (Unistrut not included).
- Serves up to 800 RPM; twists up to 300 RPM.
- Optional Foot Pedal (#SS-FP) available.
- Repeat & infinite turns functions.
- Ability to store 64 individual memory files.
- Lays down a perfect serving every time.
- Twists bowstrings evenly from both ends.
- Uses air cylinder to ensure bowstring stays at a constant tension when serving or twisting.
- Can tension up to 375# with the use of 150 psi air compressor. (Air compressor not included).
- Can also serve as a jig for laying up bowstrings.
- Quick release air valve.
- Laser engraved marks on base plates for quick measuring of strings.
- Can wind bulk serving material onto jig spools with the Bobbin Attachment (#SS-BA).
- Includes (1) Aluminum Jig Spool (#AJS).

**Aluminum Jig Spool
Included!**
#AJS



Super Server 800
#SS-800

**Unistrut Not Included.*

**SS-800 may also be purchased
as a kit. #SS-800-KT Includes:**

- (1) Super Server 800 (#SS-800)
- (1) Bobbin Attachment (#SS-BA)
- (3) Quick Stretch 350's (#QS-350)
- (1) Manifold Kit (#SS-QS-MK)
- (1) Foot Pedal (#SS-FP)
- (1) Remote Display Cradle (#SS-RC)
- (1) Tool Tray (#SS-TT)
- (1) Note Pad (#SS-NP)
- (1) String Separators (#SS-SS)
- (1) Building Bowstrings DVD (#SS-DVD)

Bobbin Attachment #SS-BA



- Mounts onto exposed shaft of SS-800 motor.
- Allows for spooling jig serving spools from bulk serving material spools.
- Spins up to 800 rpm.
- Wing nut keeps jig serving spool in place.

29 *Not compatible with the SS-2500.*


Foot Pedal #SS-FP



- Hands free activation of SS-800 and SS-2500 motors for twisting and serving.
- Plugs directly into SS-800 and SS-2500 Power Supply Box.
- *Not compatible with the SS-600.*

Quick Stretch 350

Quick Stretch 350
#QS-350



**Unistrut Not Included.*

- Great addition to the Super Server serving machines.
- Uses air cylinder to ensure bowstring is stretched at a constant tension.
- Can tension strings up to 375# when using a 150 psi air compressor. (Air compressor not included).
- Can connect multiple Quick Stretch 350 string stretching machines with the use of the manifold kit (#SS-QS-MK).

Manifold Kit

#SS-QS-MK

- Kit includes: ¼ NPTF Quick Coupler, manifold attachment, 25' air hose, fittings and plugs.
- Allows a single input air line to be split up to 4 output lines.
- For use with all Super Servers & #QS-350's.



*Manifold Kit shown with SS-800 & 3 QS-350's.

Ring Blade

#RB-BLK



- Cuts all types of serving, bowstring, and even tough string loop material.
- Two stainless steel rust-proof blades ensure quick cutting.
- Velcro strap fits most finger sizes and allows ring to be worn or mounted to any round surface up to 1" in diameter.

Super Server String Separators (2/pkg)

#SS-SS

- String Separators allow for easy separation of bundles when building bowstrings.
- Rounded edges for easy installation & removal from bowstring.
- Keeps the individual halves of the bowstring properly separated when twisting.
- Can also be used to separate halves of the bowstring for peep installation.



10 Port Manifold Kit

#SS-QS-MK-10



- Kit includes: ¼ NPTF Quick Coupler, manifold attachment, 75' air hose, fittings and plugs.
- Allows a single input air line to be split up to 10 output lines.
- For use with all Super Servers & #QS-350's.

Super Server Tool Tray

#SS-TT

- Provides a convenient place to store your tools when building strings.
- Mounts securely into Unistrut channel.
- Multiple mounting possibilities.
- All metal construction & a black powder-coated finish.
- 10" self-adhesive magnetic strip included.
- Measures 14" x 4" x 1".



Super Server Note Pad

#SS-NP

- Keep your string specs easily visible.
- Easily mounts to Tool Tray (#SS-TT) with included hardware.
- Multiple mounting possibilities.
- Usable area measures 8.5" x 12".
- All metal construction with a black powder-coated finish.



*Tool Tray & Note Pad shown mounted together.

Remote Display Cradle

#SS-RC

- Great addition to the Super Server.
- **Remote Cradle works with all Super Server Remote Displays.**
- Fits into channel on unistrut & holds Remote Display securely, yet allows for quick & easy re-positioning.
- Comes in a black powder-coated finish.



*Shown with SS-800 Remote Display.



Aluminum Jig Spool

#AJS

- Aluminum construction is more precise than molded jig spools.
- Allows for smoother, more consistent serving payout, resulting in a more consistent bowstring.
- Mounts to all hand serving jigs.



Building Bowstrings With the Super Server



Streaming Service

#SS-VID

*Available online only at www.specialtyarch.com

DVD
#SS-DVD



- Direct from Specialty Archery, we demonstrate the process of building the perfect bowstring on the Super Server Serving Machines.
- Over an hour of instruction on how to build strings and cables on the Super Server Serving Machines.
- You'll learn what equipment to use, how to lay up strings and cables, twisting, how to check for peep rotation, how to determine string/cable length, serving and many other tips and tricks that will guide you to make your own bowstrings!
- If you're already a string builder looking at refining your methods for use on the Super Servers, or just looking at getting into string building, this is the video for you!

Super Server Replacement Equipment

Super Server Clamp

Handle

#SS-CH

- Replacement Clamp Handle for all Super Servers.
- *Sold individually. (NOT per pair).*



String Equipment Valve

#SS-VL

- Replacement Valve for all Super Servers or Quick Stretchers.



Super Server Tape Measure

#SS-TM

- Adhesive replacement Tape Measure for Super Servers.
- Numbered from left to right. 12' x 1/2".



Serving Jig Winder

#SS-SW

***While supplies last**

- Specialty Archery's Serving Jig Winder is the fastest way to spool up hand serving jig spools from bulk spools.
- Works with all bulk serving spools.
- Easy to use.
- Safe.
- Serves a hand jig spool in less than a minute.
- Easy to use foot pedal operation.
- Drag system ensures even tension on spool.
- NOTE: product component colors may vary from picture.



**Bulk serving spool and Jig Spool not included.*

Hunt Saver Crossbow Press

#SA-XP

Patent #10,408,559



- Can change a crossbow string in a matter of minutes.
- Can save your hunt!
- Works on most COMPOUND crossbows that employ a CRANK to draw (EXCEPT crossbows less than 16" axle to axle).
- Does NOT work on recurve crossbows.
- Comes with padded protective carrying case.
- Want a great tip? When you replace your strings, be sure to keep your original strings in the case along with the crossbow press in case of an emergency!
- Compact, portable, and easy to use!



Pro Press Hex Conversion Kit

#PRP-HX

- The Pro Press Hex Drive Conversion Kit allows you to convert your original X-Press flat-style crank handle to the same 9/16" Hex Drive system found on the current Pro Press and Pro Draw.
- Allows the same Hex Drive Crank Handle to be used on both the press and the Pro Draw.



Pro Press Conversion Kit

#PRP-CK

- The Pro Press Conversion Kit allows the user to convert the original Sure-Loc X-press for use with the Pro Press Limb Ears.
- Limb Ears offer increased flexibility in placement as well as reduced stress on the bow limbs and riser.
- Increased ease in mounting and use of the Specialty Archery Pro Draw to create the ultimate bow tuning press and draw board system.
- Includes new Safety Straps.
- *NOTE: The Pro Press Conversion Kit does NOT include the Hex Drive Crank Handle or the Hex Drive shaft found on the Specialty Archery Pro Press. Also available is the Pro Press Hex Drive Conversion Kit (#PRP-HX) which allows you to convert your original X-Press flat-style crank handle to the same 9/16" Hex Drive system found on the current Pro Press and Pro Draw. Allows the same Hex Drive Crank Handle to be used on both the press and the Pro Draw.*

From this...



To this!!!





US Patent #8,505,523 B1

Limb Slider Safety Pins

- Limb slider safety pins prevent the limb slider from being forced upwards on the swing arm when pressing past-parallel limb bows.



Adjustable Limb Ears

- Limb Ears rotate on a splined shaft and can be easily adjusted inward and outward to fit any limb configuration.
- Ear Tabs prevent damage to bow limbs.



Pro Press
#PRP


Safety Straps

- Safety Straps prevent the bow from being forced downward while pressing past-parallel bows.



Timing Collar

- Adjustable Timing Collar allows the user to synchronize the Limb Ears to touch the bow limbs at exactly the same time.




US Patent #9,360,267

Pro Draw
#PRP-PD

- Makes cam timing/synchronization quick and easy without removing the bow from the press!
- Can also be used to plot draw force curves or to perfectly match the draw lengths of 2 different bows.

Did you know? It may be possible to attach the Pro Draw to your current bow press that utilizes a 2.25" diameter center jack. Please contact Specialty Archery for details.

** Pro Draw & Scale shown mounted to Pro Press.*



Pro Press & Pro Draw may also be purchased as a kit.

#PRP-KT Includes:

- (1) Pro Press (#PRP)
- (1) Pro Draw (#PRP-PD)
- (1) Pro Press Stand (#PRP-ST)
- (1) Pro Press Serving Jig (#PRP-SV)
- (1) Pro Press Trays (#PRP-TR) sold per 2
- (1) Pro Press Scale (#PRP-SC)

Optional Pro Press/Pro Draw Equipment

Pro Press Stand


#PRP-ST



- Allows your Pro Press to be free-standing. The perfect complement to your Pro Press.

Pro Press Trays (Sold Per 2)

#PRP-TR



**Tray shown attached to Pro Press.*

- Provides a convenient place to hold tools or other items when working on bows.
- Multiple mounting options.

Pro Press O'Ring Band

#PRP-OR

- Replacement O' Ring for Pro Press & Pro Draw Stand.



Pro Press Serving Jig

#PRP-SV

US Patent #8,387,600 B1



- Allows for quick and easy repair of servings without removing the string or cable from the bow.
** Serving Jig shown in use on the Pro Press.*

Pro Press Safety Straps (Sold Per 2)

#PRP-SS




**Pro Press Safety Straps shown in use.*

- The Pro Press Safety Strap is a replacement strap for the existing Limb Safety Clips and Split Limb Safety Clips.
- Holds any bow securely in the Pro Press.
- Easy to use.

Pro Press Replacement Ear Pads

#PRP-EP

#PRP-PP



- 4 Ear Pads included in each package.
- Gray Rubber (#PRP-EP) or White Poly (#PRP-PP).
- Easy to replace.

Pro Draw Stand

#PRP-DS



**Pro Draw shown attached to Pro Draw Stand.*

- The Pro Draw Stand mounts to a workbench or table top and allows the Pro Draw to be used without the Pro Press.
- The grip section has a cushioned covering to prevent damage to bow's handle.

Pro Press Scale

#PRP-SC110



- Measures from 0 to 110 pounds.
- Integrated tape measure.
- Hold and peak weight functions.



Follow Us On Facebook

Specialty Archery L.L.C.®

1211 38th Ave W.

PO Box 879

Spencer, IA 51301

Sales: (800)-555-2856

Billing & Technical: (712)-580-5762

Phone: (712)-580-5762

Fax: (712)-580-2020

Email: technical@specialtyarch.com

Website: www.specialtyarch.com

Business Hours

Monday - Friday 8:00am - 4:00pm

Central Standard Time

Michael Anderson - General Manager (manderson@specialtyarch.com)

Cheryl Moriarty - Office Manager (cmoriarty@specialtyarch.com)

Product Specifications

Description	Part #	Weight
PXS Peep and Accessories		
PXS Peep	PXS BLK	18.0 gr
PXS Peep Apertures	(multiple)	4.5 gr
PXS Peep Clarifiers/Verifiers	(multiple)	1.0 gr
PXS Peep Shade	PXSPS	2.5 gr

PXL Hunter Peep and Accessories		
PXL Hunter Peep	PXLH-BLK	30.5 gr
PXL Hunter Peep Apertures	(multiple)	7.5 gr
PXL Hunter Peep Clar/Verifiers	(multiple)	3.5 gr
PXL Peep Shade	PXLHPS	3.0 gr

Podium™ Peep and Accessories		
Podium™ Peep	PPBLK	19.0 gr
Podium™ Peep Apertures	(multiple)	3.5 gr
Podium™ Peep Clar/Verifiers	(multiple)	2.0 gr
Podium™ Peep Shade	PPPS	3.0 gr

Podium® is a registered trademark of Podium Plus Competition Bowstrings® L.L.C.

Ultra Lite and Pro Series Peeps and Accessories		
37 Degree Ultra Lite Peep	749-37UL	7.5 gr
45 Degree Ultra Lite Peep	749-45UL	7.5 gr
37 Degree Pro Series Peep	749-37PS	9.5 gr
45 Degree Pro Series Peep	749-45PS	9.5 gr
Apertures	(multiple)	2.5 gr
Clarifiers	(multiple)	4.0 gr
1/8" Verifier	(multiple)	4.0 gr
Peep Shade	PS-BLK	2.0 gr
Standard Peep Aligner	PAS	13.0 gr

Large Hooded and Non-hooded Peeps and Accessories		
Large Non-hooded Peep Housing	749-37L	12.5 gr
Large Hooded Peep Housing	749-37LH	15.0 gr
Large Verifier/ Clarifier	(multiple)	5.5 gr
Peep Reducer	753-3	3.1 gr
Peep Shade Large	PSL-BLK	2.0 gr
Large Peep Aligner	PAL	15.0 gr

5/16" Peeps and Accessories		
5/16" XL Peep Housing	749-37XL	17.0 gr
5/16" Verifier	(multiple)	12.0 gr
5/16" Aperture	755-A	5.0 gr

Bodoodle Arrow Rests		
Switchblade Hunter	SBH	4 oz.
Switchblade Target	SBT	4 oz.
Pro Lite II	PL2	3.2 oz.
Zapper 300X	ZX3	2.4 oz.
Zapper 400X	ZX4	2.8 oz.
Bullet	BSF	2.3 oz.
Timberdoodle II	TD2	2.4 oz.
Timberdoodle	TAR	2.2 oz.

Feather Lite Stabilizers		
Feather Lite 6"	0806BLK	4.8 oz.
Feather Lite 8"	0808BLK	5.0 oz.
Feather Lite 10"	0810BLK	6.1 oz.

Pro Stix Stabilizers		
Pro Stix 10"	010PSX-BLK	6.0 oz.
Pro Stix 12"	012PSX-BLK	6.3 oz.
Pro Stix 15"	015PSX-BLK	6.7 oz.
Pro Stix 24"	024PSX-BLK	7.8 oz.
Pro Stix 30"	030PSX-BLK	8.6 oz.
Pro Stix 36"	036PSX-BLK	9.4 oz.

Ultra Lite Stabilizers		
Ultra Lite (3 rod) 6"	6BLK	2.35 oz.
Ultra Lite (3 rod) 8"	8BLK	3.16 oz.
Ultra Lite (3 rod) 10"	10BLK	3.27 oz.
Ultra Lite (3 rod) 12"	12BLK	3.48 oz.
Ultra Lite (3 rod) 18"	18BLK	4.0 oz.
Ultra Lite (3 rod) 24"	24BLK	4.27 oz.
Ultra Lite (3 rod) 30"	30BLK	4.65 oz.
Ultra Lite (3 rod) 36"	36BLK	5.06 oz.

VBar Adjustable Black	VBAR-ADJ	6.5 oz.
------------------------------	----------	---------

***All weights are approximate**

**All prices in the catalog and on the website are the Manufacturer's Suggested Retail Price. Actual prices may vary. Customs fees on foreign orders are not included in the price. Specialty Archery L.L.C.® reserves the right to make changes to specifications, prices and models without notice.*

**All weights are approximate.*



Bodoodle

Premium Quality Arrow Rests

2021 PRODUCT CATALOG

WWW.BODOODLEUSA.COM

Switchblade

The heart of the Switchblade Arrow Rest is the frame, allowing you to change out Yokes to fit your situation.



Switchblade Hunter

#SBH (RH or LH) BLK



Switchblade Target

#SBT (RH or LH) BLK

Proven technology from our Pro Lite II, the Switchblade Hunter is the perfect choice for the field and the range, offering superior tunability and durability. The Switchblade Hunter comes complete with .015" Speed fins installed, and a pair of .015" Hunter Fins to allow the archer freedom to set up this rest as you see fit.

The Switchblade Target was born for the tournament trail. We took the design from our Timber Rattler II and made the frame wider & taller to accommodate larger arrows & taller fletchings for easy clearance. The pivoting yoke allows you to tune your blade like never before with the spring tension on the side of the rest.

Switchblade Yokes



Simply back out the cone screw on the Pivoting Yoke and switch it out with either the Hunter Yoke or the Target Yoke. One rest - two Yoke options!

Hunter Yoke

#SBHY-BLK

*.015" Speed & Hunter Fins included!



Target Yoke

#SBTY (RH or LH) BLK

*.010" & .012" Lizard Tongues included!



.010" Tongue .012" Tongue

Extra wide/deep frame allows larger diameter arrows & tall fletching to clear with ease with either the Hunter or Target Yoke system.

Hunter Yoke



Target Yoke



Pivoting Yoke

Switchblade Hunter



#SBH (RH or LH) BLK



Speed Fins



Hunter Fins

*.015" Speed
& Hunter Fins
included!

- Wider and taller frame for added clearance of vanes over our Pro Life II.
- Will mount on most compound bows & will accommodate all arrow sizes & materials.
- With the purchase of the Target Yoke (#SBTY), the Switchblade Hunter rest can be converted to a Switchblade Target in seconds.
- Lightweight at 4 ounces and is made of rugged 6061 T-6 aluminum.
- Adjustable windage and elevation for perfect arrow flight in seconds.
- Features a zero play frictionless yoke assembly & jewel-like bearings for extremely quiet and worry-free shooting.
- "Smoke Quiet" silencing tape included to ensure a quiet draw when hunting.
- Over 1" of elevation adjustment.
- Comes standard with 2 stainless steel .015" thickness Speed Fins & 2 stainless steel .015" thickness Hunter Fins. Other Fins available.
- Right or left handed.
- Available in black.

Hunter Fins

- #HRF-015 .015" Thickness Hunter Fins (arrows under 550 grains).
- #HRF-023 .023" Thickness Hunter Fins (arrows over 550 grains).

Speed Fins

- #SRF-015 .015" Thickness Speed Fins (arrows under 550 grains).
- #SRF-023 .023" Thickness Speed Fins (arrows over 550 grains).
- #SRF-028 .028" Thickness Speed Fins (arrows over 600 grains).

Switchblade Target



#SBT (RH or LH) BLK




.010" Tongue



.012" Tongue

*Both Lizard Tongues included!



Cousins Best Blade .200" Width Tips

- #CBB-008 .008" For arrows up to 325 grains.
- #CBB-010 .010" For arrows from 325 to 425 grains.
- #CBB-012 .012" For arrows over 425 grains.
- *Made from Spring Steel; resistant to bending & cracking.



Cousins Best Blade Wide .375" Width Tips

- #CBW-008 .008" For arrows up to 325 grains.
- #CBW-010 .010" For arrows from 325 to 425 grains.
- #CBW-012 .012" For arrows over 425 grains.
- *Made from Spring Steel; resistant to bending & cracking.



Stainless Steel Lizard Tongue

- #LT-010 .010" - For arrows from 325 - 425 grains.
- #LT-012 .012" - For arrows over 425 grains.

- Perfect for competition shooting.
- Mounts to most compound bows & accommodates all arrow sizes & materials.
- Stainless Steel .010" & .012" Lizard Tongues with built in vibration dampener comes standard. * The .010" Lizard Tongue comes installed on the rest.
- Fully adjustable yoke system allows the shooter to tune the blade by adjusting the spring tension on the yoke.
- Classic Bodoodle design has a protective guard to prevent damage to your launcher.
- Also compatible with the Cousins Best Blades.
- Left or right handed.
- Available in black.

Pro Lite II *While Supplies Last



Pro Lite II
#PL2 (RH or LH) BLK

- Compensates for all forces exerted on an arrow at launch and speeds the arrow on its way without interference.
- Will mount on most compound bows & will accommodate all arrow sizes & materials.
- Lightweight at 3.5 ounces and is made of rugged 6061 T-6 aluminum.
- Adjustable windage and elevation for perfect arrow flight in seconds.
- Features a zero play frictionless yoke assembly & jewel-like bearings for extremely quiet and worry-free shooting.
- "Smoke Quiet" silencing tape included to ensure a quiet draw when hunting.
- Over 1" of elevation adjustment.
- Comes standard with 2 stainless steel .015" thickness Speed Fins.
- Other fins available.
- Right or left handed.
- Available in black.

Hunter Fins

- #HRF-015 .015" Thickness Hunter Fins (arrows under 550 grains).
- #HRF-023 .023" Thickness Hunter Fins (arrows over 550 grains).
- * Fins include 4 strips of Smoke Quiet Tape

Speed Fins

- #SRF-015 .015" Thickness Speed Fins (arrows under 550 grains).
- #SRF-023 .023" Thickness Speed Fins (arrows over 550 grains).
- #SRF-028 .028" Thickness Speed Fins (arrows over 800 grains).
- * Fins include 4 strips of Smoke Quiet Tape

Bullet

- Compensates for all forces exerted on an arrow at launch & speeds the arrow on its way without interference.
- Lightweight at 2.3 oz & made from rugged 6061 T-6 aluminum.
- Features a zero play pivoting yoke assembly for extremely quiet & worry-free shooting.
- Will mount on most compound bows & will accommodate all arrow sizes & materials.
- Comes standard with 2 stainless steel .015" thickness Speed Fins.
- Other fins available.
- Includes 4 strips of "Smoke Quiet" silencing tape to ensure a quiet draw when hunting.
- Right or left handed.
- Available in black.



Bullet
#BSF (RH or LH) BLK

Timberdoodle II



Timberdoodle II
#TD2 (RH or LH) BLK

- Specifically designed for finger shooters.
- Made from rugged 6061 T-6 aluminum.
- Features a zero play pivoting yoke assembly for extremely quiet & worry free shooting.
- Will accommodate all arrow sizes & materials.
- Over 1" of elevation adjustment.
- Comes standard with 1 Hunter Fin (.015") & 1 Speed Fin (.023") for perfect arrow flight.
- Other fins available. (See below.)
- Includes 4 strips of "Smoke Quiet" tape to ensure a quiet draw when hunting.
- Available in black.

Timberdoodle & Timberdoodle II Fins

- | | |
|------------|---|
| • #TRF-L01 | .015" Thickness Left Hand (arrows under 550 grains). |
| • #TRF-L02 | .023" Thickness Left Hand (arrows over 550 grains). |
| • #TRF-R01 | .015" Thickness Right Hand (arrows under 550 grains). |
| • #TRF-R02 | .023" Thickness Right Hand (arrows over 550 grains). |



* Fins include 4 strips of Smoke Quiet Tape

Timberdoodle



Timberdoodle
#TAR (RH or LH) BLK

- Specifically designed for finger shooters.
- Made from rugged 6061 T-6 aluminum.
- Features a zero play pivoting yoke assembly for extremely quiet & worry free shooting.
- Will accommodate all arrow sizes & materials.
- Comes standard with 1 Hunter Fin (.015") & 1 Speed Fin (.023") for perfect arrow flight.
- Other fins available. (See above.)
- Includes 4 strips of "Smoke Quiet" tape to ensure a quiet draw when hunting.
- Available in black.

Zapper X

- **X Bracket** allows for 1/2" vertical and 1" horizontal adjustment of the Zapper Arrow Rests.
- Laser etched vertical and horizontal marks makes tuning easier than ever.
- Comes standard with Zapper 300X & Zapper 400X models.
- *Will not work on previous Zapper models.*

Zapper 300X



- **X Bracket** allows for easy tuning; fully adjustable for windage and elevation.
- Features top loading convenience & full containment of the arrow shaft for the perfect bow hunting rest without the fletching damage.
- Delivers unconditional value and excellent performance.
- Arrows zip silently through the Zapper on "Smoke Quiet" silencing tape which increases speed & prevents fletching damage.
- Cradles your arrow at all angles.
- Other fins available.
- Zapper 300 has 2 side support fins & 1 bottom fin.
- Right or left handed.
- Available in black & camo.

Zapper 300 Fins

- #ZRF-315 .015" Thickness replacement fins (recommended for arrows under 550 grains).
- #ZRF-323 .023" Thickness replacement fins (recommended for arrows over 550 grains).
- * Fins include 4 strips of Smoke Quiet Tape

Zapper 400X

- **X Bracket** allows for easy tuning; fully adjustable for windage and elevation.
- Features top loading convenience & full containment of the arrow shaft for the perfect bow hunting rest without the fletching damage.
- Delivers unconditional value and excellent performance.
- Arrows zip silently through the Zapper on "Smoke Quiet" silencing tape which increases speed & prevents fletching damage.
- Cradles your arrow at all angles.
- Other fins available.
- Zapper 400 has 2 side support fins & 2 bottom fins.
- Right or left handed.
- Available in black & camo.



Zapper 400 Fins

- #ZRF-415 .015" Thickness replacement fins (recommended for arrows under 550 grains).
- #ZRF-423 .023" Thickness replacement fins (recommended for arrows over 550 grains).
- * Fins include 4 strips of Smoke Quiet Tape

Bodoodle Accessories

Speed Fins

- For minimal contact with the arrow.

#SFR-015 .015"
Thickness
Arrows under 550
grains.

#SRF-023 .023"
Thickness
Arrows over 550
grains.




Hunter Fins

- Hunter Fins cradle the arrow; great for hunting situations.

#HRF-015 .015"
Thickness
Arrows under 550
grains.

#HRF-023 .023"
Thickness
Arrows over 550
grains.



Bodoodle Bumpers

- Replacement cork & rubber bumpers



Cork #BPC-002
2 per pack



Rubber #BPR-003
3 per pack

Smoke Quiet Tape Strips

- Replacement silencing tape for all Bodoodle rest fins except Timber Rattler.
- Prevents noise when drawing the arrow across the rest fins.
- 12 tape strips per package.



#SQT-012

Doodle Slicks

- Silencers for Speed Fins.
- Slides easily onto fins.



2 Pack
#SLK-002

3 Pack
#SLK-003

Insert Tool

- Excellent for holding insert securely while hot melt or epoxy is applied.
- Helps prevent glue from getting into the insert opening.
- Includes 1 stick of Bohning Ferr-L-Tite adhesive.



#IT-001

Replacement Spring

- Spring for Bodoodle Arrow Rests.
- 2 per pack.



#SPR-002

Bodoodle

Premium Quality Arrow Rests

Bodoodle
Division of Specialty Archery L.L.C.®
1211 38th Ave W
PO Box 879
Spencer, IA 51301
Phone: (712)580-5762
Fax: (712)580-2020

Email: technical@specialtyarch.com
website: bodoodleusa.com

Business Hours
Monday - Friday 8:00am - 4:00pm
Central Standard Time

Follow Us On Facebook

